နှိ SCH

Coating
Service
Equipment
Training
Consulting

Technical Overview

CONFORMAL COATING MASKING DOTS

Conformal coating solutions made easy

Are your conformal coating masking dots effective on your production line?

Our range of masking dots provide an ideal solution for conformal coating processing where circular shapes like grounding points are required to be covered.

Why use our masking dots?

SCH Technologies have tried and tested a lot of different masking dots over a long period of time.

We found that many dots have problems being used for conformal coating processing and these issues included:

- Reacting in an adverse way with the conformal coating (de-wetting)
- Leaving adhesive residues when removed
- Allowing bleeding and leaking of coating under the edge of the dot
- Not staying sealed for long enough during processing
- Tearing when removed from the circuit board

Therefore, we identified the best dots for the conformal coating process that avoided these problems, were relatively easy to use and were sensibly priced.

These specialist masking materials are used in our own global coating services and are a tried and tested solution. We now offer these dots to customers to use in their own conformal coating production line.

Contact us now

Find out how we can help you with your conformal coating masking process now and help save you time and money now.


SCH Coating Solutions Pvt. Ltd. 11-1-128, Sitaphalmandi, Secunderabad 500061, T.S., INDIA. Email : admin.ind@schservices.com Phone : +91-40-65897899

For further enquiries, please contact



SCH Technologies Limited Newburgh Building, McLintock Way Barnsley, South Yorkshire, S70 6BF, UK Email : sales@schservices.com Fax : (+44) 01226 770809

For further enquiries, please contact





Get 360° Conformal Coating knowledge support from

visit www.conformalcoatinghelp.com Page 1/1

f schtechnologies

While all care has been taken to ensure that the information contained in this publication is correct, no responsibility can be accepted for any inaccuracy. The Company reserves the right to alter or modify the information contained herein at any time in light of technical or other developments. Technical specification are valid under operating conditions only. The company does not accept any responsibility for any misuse of the product and cannot be held liable for consequential damage.

