

Material Safety Data Sheet

Revision Date Prepared by **Technical Information**

November 9, 2010 Bianca Clark 1-800-201-8822 or support@mgchemicals.com

Head Office Emergency

9347 - 193 Street, Surrey, B.C., V4N 4E7 Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

Section 1: Product Identification

MSDS Code: 8332 - Part B Name: Fast Setting Epoxy Adhesive

Related Part Numbers: 8332-25ML Use: A fast setting epoxy adhesive.

Section 2: Hazardous Ingredients

Osha CAS# Percentage by weight ACGIH TWA **Chemical Name** Osha Stel Pel N/e N/e

90 - 100 *Proprietary Mercaptan amine blend Proprietary registration # 679485-6533P

Section 3: Hazards Identification

WHMIS Codes: D2B

NFPA Ratings: Health 3 Flammability Reactivity 1 HMIS Ratings: Health 3 Flammability Reactivity 1

Eyes: Causes severe irritation with possible permanent damage and even blindness.

Skin: Can cause severe irritation, especially on prolonged contact. Potential sensitizer.

Considered slightly toxic. Can cause irritation of respiratory tract. Over exposure to fumes or vapors Inhalation:

may cause delayed lung and chemical pneumonia.

Slightly toxic. May cause fatigue, muscle weakness, gastrointestinal irritation, nausea, vomiting and Ingestion:

Chronic: Prolonged or repeated skin contact may cause sensitization, with itching, swelling, or rashes on later

exposure.

Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline. Get medical aid if symptoms persist.

Skin: Wash skin with soap and water. Get medical aid if symptoms persist.

Inhalation: Immediately remove from exposure to fresh air. Get medical aid if symptoms persist.

Ingestion: Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid.

Section 5: Fire Fighting Measures

Autoignition Temperature: N/e Flash Point: 249°C/480°F LEL / UEL: N/e

Extinguishing Use water, dry chemical, carbon dioxide, or chemical foam.

General Firefighters should wear self-contained breathing apparatus and protective clothing. Cool fire exposed

Information: containers with water.

N/e



Section 6: Accidental Release Measures

Spill Remove all sources of ignition. Provide adequate ventilation. Wear appropriate personal protection. **Procedure:** Sprinkle absorbent compound onto spill, then sweep into a plastic or metal container. Wipe up further

residue with paper towel and place in container. Wash spill area with soap and water.

Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well-ventilated area.

Section 8: Exposure Controls

Routes of entry: Eyes, ingestion, inhalation, and skin.

 Ventilation:
 Use adequate general or local exhaust ventilation.

 Personal Protection:
 Wear protective gloves to prevent skin contact.

Section 9: Physical and Chemical Properties

Physical Liquid Odor: Odorless Solubility: None Evaporation N/e

State: Rate:

Boiling 726°C/ Specific 1.17 Vapor 0.03m Vapor Density: N/e pH: N/e

Point: 500°F Gravity: Pressure: bar@77°C

Section 10: Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

Conditions to

avoid: High Temperatures

Incompatibilities:

Strong Lewis, mineral acids, strong oxidizing agents, strong mineral and organic bases, apparently primary and according all the strong mineral and organic bases, apparently primary and according all the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral and organic bases, and according to the strong mineral according to the strong mineral according to the strong mineral

especially primary and secondary aliphatic amines.

Polymerization: Will not occur.

Decomposition: No applicable information found

Section 11: Toxicological Information

Sensitization: (effects of repeated exposure) This product is a skin sensitizer.

Carcinogenicity: (risk of cancer) No

Teratogenicity: (risk of malformation in an unborn No

(2uta

Reproductive Toxicity: (risk of sterility)

No

Mutangenicity: (risk of heritable genetic effects)

No

Lethal ExposureIngestion1200Inhalation>0.5 mg/LSkin1350 mg/kgConcentrations:(LD50):mg/kg (rat)(LC50):(rat)(LD50):(rabbit)

Section 12: Ecological Information

General Avoid runoff into storms and sewers, which lead into waterways. Water runoff can cause

Information: environmental damage.

Environmental Impact Data: (percentage by weight)

CFC: 0 **HFC**: 0 **CI.Solv**: 0 **VOC**: 0 **HCFC**: 0 **ODP**: 0



Section 13: Disposal Information

General Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff can cause environmental damage.

Section 14: Transportation Information

Ground:

Non-regulated

Air:

Non-regulated

Sea:

Non-regulated

Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

CAA (Clean Air Act, USA)

This product does not contain any class 1-ozone depletors.

This product does not contain any class 2-ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.

Health Canada

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

Environment Canada

Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act

This product does not contain any ozone depleting substances.

Industry and Science Canada

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.

RoHS (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

Section 16: Other Information

Definitions: N/a = not applicable, n/e = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the information contained begin is accurate and compiled from reliable sources. It is the responsibility of the

information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in

accordance with federal, state, and local regulations.

PAGE 3 / 3 MSDS Code: 8332 – Part B